

FIX & SLIDING FRAMELESS GLASS DOOR SYSTEMS
SISTEMAS PARA PANELES FIJOS Y CORREDEROS DE VIDRIO



ROLL GLASS

ROLL GLASS 40/ ROLL GLASS 90
ROLL GLASS 135/ ROLL GLASS 175





ROLL GLASS 40



ROLL GLASS 135 RECESSED

ROLLGLASS top hung sliding door systems by KLEIN are designed to combine fixed and sliding frameless glass panels within the same track.

Several options are offered to perfectly match the application:

ROLLGLASS 40 with a compact track and side mounted wall brackets for shower door application.

ROLLGLASS 90 with a track including clipped valance for room division for doors up to 200lbs (90kgs).

ROLLGLASS 135 (and recessed) with a track including clipped valance or security strip for room division with track exposed or recessed. It was specially designed for heavy duty doors up to 297lbs (135kgs) in a commercial environment.

ROLLGLASS 175 (and recessed) with a track including valance or security strip for room division with track exposed or recessed. It was specially designed for very heavy duty doors up to 10' high and weighing up to 385lbs (175kgs).

The tracks are "silver mariner" anodized aluminium (20 microns) and are designed for either light or heavy duty frameless glass doors. ROLLGLASS systems can be ceiling mounted with track exposed using the valance or easily recessed into the ceiling with the security strip. The side mounted version provides an innovative solution for shower and bathtub environments.

El sistema ROLLGLASS de KLEIN, está especialmente diseñado para combinar paneles de vidrio fijos y correderos dentro del mismo perfil.

Existen varias gamas de ROLLGLASS para su perfecta aplicación, según sean las necesidades:

ROLLGLASS 40 con perfil compacto y soportes especiales que sostiene la instalación entre dos paredes. Ideal para aplicaciones de ducha.

ROLLGLASS 90 con perfil con tapa-galería clipada. Divide espacios con puertas de hasta 200lbs (90kgs).

ROLLGLASS 135 (y recessed) con perfil con tapa-galería clipada o perfil de seguridad. Su instalación puede ser con el perfil a la vista o empotrado en el techo. Está diseñado especialmente para puertas de peso hasta 297lbs (135kgs). Ideal para ambientes comerciales.

ROLLGLASS 175 (y recessed) con perfil y tapa-galería clipada o perfil de seguridad. Su instalación puede ser con el perfil a la vista o empotrado en el techo. Está diseñado especialmente para puertas muy pesadas de unos 3m de altura y hasta 385lbs (175kgs). Ideal para ambientes comerciales.

Todos los perfiles de los sistemas ROLLGLASS son de aluminio anodizado "silver mariner" (20 micras). Su instalación puede ser autoportante, a techo o empotrado.

ROLL GLASS





ROLL GLASS 90






ROLL GLASS 175 RECESSED

ROLL GLASS 40






X= 1 5/8"
Y= 2 3/8"

ROLL GLASS 90





X= 1 7/8"
Y= 3 1/8"

ROLL GLASS 135



X= 2 1/16"
Y= 3 3/4"

ROLL GLASS 175



X= 2 5/16"
Y= 3 3/4"


MAX WEIGHT
PESO MÁXIMO

GLASS THICKNESS
GRUESO DE PUERTA


TRACK
PERFIL

ROLL GLASS

Rollglass systems provide several solutions to divide ambiances.
The following applications are just some ideas of the numerous
options for room partitions.





ROLL GLASS



KLEIN USA, Inc. has the right to change the sizes and/or the product in any moment without previous notice. Dimensions in mm are exact. Inches are approximate.

ROLL GLASS 90





REF. 1960

INST. ROLL GLASS 40 BASIC V10

(3/8" GLASS) SIDE MTD - 78" TRACK (2M)

REF. 1962

INST. ROLL GLASS 40 EXPERT A V10 (3/8" GLASS)

SIDE MTD - 78" TRACK (2M)



REF. 1924


INST. ROLL GLASS 90 V10-12 (3/8"-1/2" GLASS)

WITH VALANCE - 118" TRACK (3M)

REF. 1926

INST. ROLL GLASS 90 V10-12 (3/8"-1/2" GLASS)

WITH VALANCE - 157" TRACK (4M)



REF. 1927


INST. ROLL GLASS 135 V10-12 (3/8"-1/2" GLASS)

WITH VALANCE - 118" TRACK (3M)

REF. 1929

INST. ROLL GLASS 135 V10-12 (3/8"-1/2" GLASS)

WITH VALANCE - 157" TRACK (4M)



REF. 1930


INST. ROLL GLASS 135 V10-12 (3/8"-1/2" GLASS)

RECESSED - 118" TRACK (3M)

REF. 1932

INST. ROLL GLASS 135 V10-12 (3/8"-1/2" GLASS)


RECESSED - 157" TRACK (4M)



REF. 1933

INST. ROLL GLASS 175 V10-12 (3/8"-1/2" GLASS)


WITH VALANCE - 157" TRACK (4M)



REF. 1936

INST. ROLL GLASS 175 V10-12 (3/8"-1/2" GLASS)

RECESSED - 157" TRACK (4M)



REF. 1974

PVC EDGE SEALINGS 3m (118")

JUNTA SALVACANTOS PVC 3m (118")



KLEIN USA, Inc.®

833 Magnolia Ave.
Elizabeth, NJ 07201

Toll-Free (888) KLEIN US
Phone 908 994 1111
Fax 908 994 1119
E-mail info@klein-usa.com

www.klein-usa.com