

BARN DOOR SINGLE SLIDING FRAMELESS GLASS SYSTEM
SISTEMA PARA UNA PUERTA CORREDERA DE VIDRIO



UNIKGLASS





UNIKGLASS


UNIKGLASS UNIKGLASS


UNIKGLASS is a top hung sliding frameless glass door system designed by KLEIN for barn doors, with surface mounted exposed track. Its pressure clamping hardware can hold doors up to 200lbs without drilling the glass.

The system is available for 3/8" and 1/2" glass for tempered as well as laminated glass panels. Its anodized aluminium track grants a modern design to the room. The clipped valance makes the installation very friendly. It is usually but not exclusively applied in residential projects to divide the living room from the kitchen or from the bedroom. Designers involved in hospitality projects will also find **Unikglass** very useful to not only enhance the room's design but also to save great space into the bathroom.

UNIKGLASS es el sistema corredero de KLEIN para puertas de vidrio sin marco, diseñado para instalación a pared, con perfil a vista. Las mordazas realizan la sujeción a presión y pueden sostener puertas hasta 200lbs (90kg) sin agujerear el vidrio.

El sistema está disponible para cristal templado o laminado, de 10mm y de 12mm. El perfil de aluminio anodizado le garantiza un diseño moderno al ambiente. La tapa-galería clipada permite una instalación rápida y sencilla. **Unikglass** suele aplicarse en proyectos residenciales para dividir el salón de la cocina o de la habitación, aunque es muy utilizado también en proyectos comerciales y hoteleros, donde no solo aporta espacio al baño y/o habitación, sino que ofrece también diseño moderno e innovador al ambiente.

V10		V12			X= 1 9/16" Y= 2 7/8"
					
MAX WEIGHT PESO MÁXIMO		GLASS THICKNESS GRUESO DE PUERTA		TRACK PERFIL	



BARN DOOR SINGLE SLIDING FRAMELESS GLASS SYSTEM /**REFERENCES**
 SISTEMA PARA UNA PUERTA CORREDERA DE VIDRIO /**REFERENCIAS**

KLEIN USA, Inc. has the right to change the sizes and/or the product in any moment without previous notice. Dimensions in mm are exact. Inches are approximate.



REF. 1900 INST. UNIKGLASS V10 (3/8") – 118" TRACK (3m)



REF. 1903 INST. UNIKGLASS V12 (1/2") – 118" TRACK (3m)



REF. 1974 PVC EDGE SEALINGS 3m (118")
 JUNTA SALVACANTOS PVC 3m (118")



KLEIN USA, Inc.®

833 Magnolia Ave.
 Elizabeth, NJ 07201

Toll-Free (888) KLEIN US
 Phone 908 994 1111
 Fax 908 994 1119
 E-mail info@klein-usa.com

www.klein-usa.com